Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 11/02/2020 Version: 10.3

Generated : 10/02/2020

ECTION 4. Howeld and the	
	substance/mixture and of the company/undertaking
1.1. Product identifier	substance/mixture and of the company/undertaking
Product form	: Mixture
Product name	C&C FRAGRANT BLEACH [11430]
Product code	: 11430
Type of product	: Detergent
	ubstance or mixture and uses advised against
.2.1. Relevant identified uses	, and the second s
Aain use category	: Professional use
ndustrial/Professional use spec	: For professional use only
Jse of the substance/mixture	: Chlorine-based disinfectant
.2.2. Uses advised against	
No additional information available	atu data abaat
.3. Details of the supplier of the safe	
IATIONWIDE HYGIENE SUPPLIES	NATIONWIDE HYGIENE SUPPLIES LTD, PEAK BUSINESS PARK, FOXWOOD ROAD, CHESTERFIELD, DERBYSHIRE, S41 9RF, UNITED KINGDOM Tel: 0844 499 6380 Fax: 0844 499 6382 Email: sales@nationwide-hygiene.com
.4. Emergency telephone number	
Emergency number	Mon to Fri 8.30am to 5.00pm - 0844 499 6380
SECTION 2: Hazards identificatio 2.1. Classification of the substance of	
.1. Classification of the substance of	or mixture
<b>Classification according to Regulation (E</b>	EC) No. 1272/2008 [CLP]
Skin corrosion/irritation, Category 1	H314
Skin corrosion/irritation, Category 1 Iazardous to the aquatic environment — Ac	cute Hazard, Category 1 H400
Skin corrosion/irritation, Category 1 Hazardous to the aquatic environment — Ac Hazardous to the aquatic environment — Cl	cute Hazard, Category 1 H400
Skin corrosion/irritation, Category 1 Iazardous to the aquatic environment — Ac	cute Hazard, Category 1 H400
Skin corrosion/irritation, Category 1 Hazardous to the aquatic environment — Ac Hazardous to the aquatic environment — Cl	cute Hazard, Category 1 H400 hronic Hazard, Category 2 H411
Skin corrosion/irritation, Category 1 Hazardous to the aquatic environment — Ac Hazardous to the aquatic environment — Cl Full text of H statements : see section 16 Adverse physicochemical, human health No additional information available	cute Hazard, Category 1 H400 hronic Hazard, Category 2 H411 and environmental effects
Skin corrosion/irritation, Category 1 Hazardous to the aquatic environment — Ac Hazardous to the aquatic environment — Cl Full text of H statements : see section 16 Adverse physicochemical, human health No additional information available 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP)	cute Hazard, Category 1 H400 hronic Hazard, Category 2 H411 and environmental effects b. 1272/2008 [CLP] i GHS05 $GHS09$
Skin corrosion/irritation, Category 1 Hazardous to the aquatic environment — Ad Hazardous to the aquatic environment — Cl Full text of H statements : see section 16 Adverse physicochemical, human health No additional information available 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP)	cute Hazard, Category 1 H400 hronic Hazard, Category 2 H411 and environmental effects bo. 1272/2008 [CLP] : GHS05 : Danger
Skin corrosion/irritation, Category 1 Hazardous to the aquatic environment — Ad Hazardous to the aquatic environment — Cl Full text of H statements : see section 16 Adverse physicochemical, human health No additional information available 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients	cute Hazard, Category 1 H400 hronic Hazard, Category 2 H411 and environmental effects b. 1272/2008 [CLP] GHS05 GHS09 : Danger : sodium hypochlorite, solution % Cl active
Skin corrosion/irritation, Category 1 Hazardous to the aquatic environment — Ad Hazardous to the aquatic environment — Cl Full text of H statements : see section 16 Adverse physicochemical, human health No additional information available 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP)	cute Hazard, Category 1 H400 hronic Hazard, Category 2 H411 and environmental effects bo. 1272/2008 [CLP] : GHS05 : Danger
Skin corrosion/irritation, Category 1 Hazardous to the aquatic environment — Ad Hazardous to the aquatic environment — Cl Full text of H statements : see section 16 Adverse physicochemical, human health No additional information available 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients	cute Hazard, Category 1 H400 hronic Hazard, Category 2 H411 and environmental effects bo. 1272/2008 [CLP]
Skin corrosion/irritation, Category 1 Hazardous to the aquatic environment — Ad Hazardous to the aquatic environment — Cl Full text of H statements : see section 16 Adverse physicochemical, human health No additional information available 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	<ul> <li>bute Hazard, Category 1 H400</li> <li>hronic Hazard, Category 2 H411</li> <li>and environmental effects</li> <li>b. 1272/2008 [CLP] <ul> <li>i</li> <li>i</li></ul></li></ul>
Skin corrosion/irritation, Category 1 Hazardous to the aquatic environment — Ad Hazardous to the aquatic environment — Cl Full text of H statements : see section 16 Adverse physicochemical, human health No additional information available 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP) Hazardous ingredients Hazard statements (CLP) Precautionary statements (CLP)	<ul> <li>bute Hazard, Category 1 H400</li> <li>hronic Hazard, Category 2 H411</li> <li>and environmental effects</li> <li>b. 1272/2008 [CLP] <ul> <li>i</li> <li>i</li></ul></li></ul>

### **SECTION 3: Composition/information on ingredients** 3.1. Substances Not applicable

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 3.2. Mixtures Name **Product identifier** % **Classification according to** Regulation (EC) No. 1272/2008 [CLP] sodium hypochlorite, solution... % CI active (CAS-No.) 7681-52-9 1 - 5 Skin Corr. 1B, H314 (EC-No.) 231-668-3 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 (EC Index-No.) 017-011-00-1 (CAS-No.) 1310-73-2 Skin Corr. 1A, H314 sodium hydroxide; caustic soda 0.1 - 1 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of water/ Take off immediately all contaminated clothing and wash it before reuse.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
<b>4.2. Most important symptoms and effects,</b> Symptoms/effects after inhalation	both acute and delayed : May cause respiratory irritation.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Burns.
4.3. Indication of any immediate medical at	tention and special treatment needed
Treat symptomatically.	
SECTION 5. Exclination measures	
SECTION 5: Firefighting measures 5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the subst	
Hazardous decomposition products in case of fire	: Corrosive vapours.
5.3. Advice for firefighters	
No additional information available	
SECTION 6: Accidental release measur	'es
6.1. Personal precautions, protective equip	
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment	
For containment	: Collect spillage.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
For further information refer to section 8: "Exposure	controls/personal protection". For further information refer to section 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, including	
Technical measures	: Does not require any specific or particular technical measures.
Technical measures Storage conditions	

C&C FRAGRANT BLEA	CH [11430]	11430
Safety Data Sheet according to Regulation (EC) No. 1907/2006 (R	EACH) with its amendment Regulation (EU) 2015/830	
Incompatible products	: Oxidizing agent. Strong acids.	
Incompatible materials	: Metals.	
Special rules on packaging	: Keep only in original container.	
7.3. Specific end use(s)		
No additional information available		
SECTION 8: Exposure controls	/personal protection	
8.1. Control parameters		
No additional information available 8.2. Exposure controls		
-		
Materials for protective clothing:		
Not required for normal conditions of use		
Hand protection:		
Chemical resistant gloves (according to E	uropean standard EN 374 or equivalent). Nitrile rubber gloves	
Eye protection:		
Safety glasses. EN 166		
Skin and body protection:		
If repeated skin contact or contamination	of clothing is likely, protective clothing should be worn	
Respiratory protection:		
Not required for normal conditions of use		
Personal protective equipment symbol	(s):	



SECTION 9: Physical and chemical p	properties
9.1. Information on basic physical and c	
Physical state	: Liquid
Appearance	: Liquid.
Colour	: light yellow.
Odour	: characteristic.
Odour threshold	: No data available
PH	: 12.8
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: >= 100 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.07
Solubility	: Soluble in water.
_og Pow	: No data available
√iscosity, kinematic	: No data available
/iscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
No additional information available	

SECTION 44. Taxical arisal inf

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
None under recommended storage and handling conditions (see section 7).
10.5. Incompatible materials
Metals. Strong acids. Contact with acids liberates toxic gas.
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 12.8
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 12.8
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information	
12.1. Toxicity	Mana tanàn ta aominin'i Ma
Hazardous to the aquatic environment, short-term : (acute)	Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term : (chronic)	Toxic to aquatic life with long lasting effects.
sodium hydroxide; caustic soda (1310-73-2)	
LC50 fish 1	> 35 mg/l
EC50 other aquatic organisms 1	> 33 mg/l waterflea
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
sodium hydroxide; caustic soda (1310-73-2)	
Log Pow	-3.88
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	

No additional information available **12.6. Other adverse effects** 

No additional information available

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information In accordance with ADR / RID / IMDG / IATA / ADN

## Safety Data Sheet

14.1. UN number	
UN-No. (ADR)	: UN 1760
UN-No. (IMDG)	: UN 1760
UN-No. (IATA)	: UN 1760
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Corrosive liquid, n.o.s.
Transport document description (ADR)	: UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, SODIUM HYPOCHLORITE)), 8, III, (E)
Transport document description (IMDG)	: UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, SODIUM HYPOCHLORITE), 8, III
Transport document description (IATA)	: UN 1760 Corrosive liquid, n.o.s., 8, III
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8
	:
	8
IMDG	
	. 0
Transport hazard class(es) (IMDG)	: 8
Danger labels (IMDG)	: 8
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 8
Danger labels (IATA)	: 8
14.4. Packing group	·
Packing group (ADR)	: III
Packing group (IMDG)	: 111
Packing group (IATA)	: 111
14.5. Environmental hazards	
Dangerous for the environment	: Yes (Environmentally hazardous substances derogation applies (quantity of liquids ≤ 5 litres or net mass of solids ≤ 5 kg). The environmentally hazardous substance mark is therefore not required, as stated in the ADR regulation, section 5.2.1.8.1.)
Marine pollutant	: Yes (IMDG 5.2.1.6.1 derogation applies (quantity of liquids ≤ 5 litres or net mass of solids ± 5 kg))
Other information	: No supplementary information available
Other information 14.6. Special precautions for user	: No supplementary information available
	: No supplementary information available
14.6. Special precautions for user	: No supplementary information available : C9
<b>14.6. Special precautions for user</b> <b>Overland transport</b> Classification code (ADR)	
<b>14.6. Special precautions for user</b> <b>Overland transport</b> Classification code (ADR) Special provisions (ADR)	: C9 : 274
<b>14.6. Special precautions for user</b> <b>Overland transport</b> Classification code (ADR) Special provisions (ADR) Limited quantities (ADR)	: C9 : 274 : 5l
<b>14.6. Special precautions for user</b> <b>Overland transport</b> Classification code (ADR) Special provisions (ADR)	: C9 : 274

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP1, TP28
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	80
	1760
Tunnel restriction code (ADR)	: E
Transport by sea	
Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 8L
14.7. Transport in bulk according to Annex	II of Marpol and the IBC Code
IBC code	: Not applicable.

: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation : Labelling of contents:	
Component	%
anionic surfactants, non-ionic surfactants	<5%
perfumes	

15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment No additional information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 16: Other information**

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
EUH031	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH031	Contact with acids liberates toxic gas.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.