

## Safety Data Sheet

According to Regulation (EC) No 1907/2006

## Taski Jontec Futur F1a

Revision: 2024-08-09

Version: 05.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: Taski Jontec Futur F1a

UFI: PCP6-30FR-9001-6TRK

1.2 Relevant identified uses of the substance or mixture and uses advised against Product use: Floor stripper.

Uses advised against:

Floor stripper. For professional use only. Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description : AISE\_SWED\_PW\_8a\_1 AISE\_SWED\_PW\_4\_2

**1.3 Details of the supplier of the safety data sheet** Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

## Contact details

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@solenis.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Skin corrosion, Category 1A (H314) Specific target organ toxicity - Single exposure, Category 3 (H335) Serious eye damage, Category 1 (H318) Corrosive to metals, Category 1 (H290)

#### 2.2 Label elements



Contains sodium hydroxide (Sodium Hydroxide), 2-aminoethanol (Ethanolamine)

#### Hazard statements:

H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

#### Precautionary statements:

P260 - Do not breathe vapours.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

## 2.3 Other hazards

No other hazards known.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium hydroxide	215-185-5	1310-73-2		Skin corrosion, Category 1A (H314) Corrosive to metals, Category 1 (H290)		3-10
2-aminoethanol	205-483-3	141-43-5	5-28	Skin corrosion, Category 1B (H314) Acute toxicity - Oral, Category 4 (H302) Acute toxicity - Dermal, Category 4 (H312) Acute toxicity - Inhalation, Category 4 (H332) Specific target organ toxicity - Single exposure, Category 3 (H335) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)		3-10
sodium cumenesulphonate	239-854-6	15763-76-5	01-211948941 1-37	Eye irritation, Category 2 (H319)		1-3
2-butoxyethanol	203-905-0	111-76-2	8-36	Acute toxicity - Inhalation, Category 3 (H331) Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Eye irritation, Category 2 (H319)		1-3
alkyl alcohol alkoxylate	[4]	196823-11-7	[4]	Eye irritation, Category 2 (H319)		1-3

#### Specific concentration limits

sodium hydroxide:

• Serious eye damage, Category 1 (H318) >= 2% > Eye irritation, Category 2 (H319) >= 0.5%

• Skin corrosion, Category 1Å (H314) >= 5% > Skin corrosion, Category 1B (H314) >= 2% > Skin irritation, Category 2 (H315) >= 0.5%

2-aminoethanol:

Ingestion:

- Specific target organ toxicity - Single exposure, Category 3 (H335) >= 5\%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General Information:	Symptoms of intoxication may even occur after several hours. It is recommended to continue
	medical observation for at least 48 hours after the incident. If unconscious place in recovery position
	and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial
	respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.
Inhalation:	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE, doctor or
	physician if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Wash skin with
	plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it
	before reuse. Immediately call a POISON CENTRE, doctor or physician. If skin irritation occurs: Get
	medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove
Lyo comaca	contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE,
	doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious
ingestion.	person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or
	physician.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
Sen-protection of hist alder.	Consider personal protective equipment as indicated in subsection 0.2.
4.2 Most important symptoms and	effects both acute and delayed
Inhalation:	May cause respiratory irritation.
Skin contact:	Causes severe burns.
Eye contact:	Causes severe or permanent damage.

## 4.3 Indication of any immediate medical attention and special treatment needed

oesophagus and stomach.

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

## SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

#### 6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

#### 6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

#### **Measures required to protect the environment:** For environmental exposure controls see subsection 8.2.

For environmental exposure controls see subsection 8.2.

## Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Use only outdoors or in a well-ventilated area. See chapter 8.2, Exposure controls / Personal protection.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
sodium hydroxide		2 mg/m <sup>3</sup>
2-aminoethanol	1 ppm 2.5 mg/m³	3 ppm 7.6 mg/m <sup>3</sup>
2-butoxyethanol	25 ppm 123 mg/m³	50 ppm 246 mg/m³

Biological limit values, if available:

#### Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

#### **DNEL/DMEL and PNEC values**

Human exposure DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ditel/Ditel oral expectate Contrainer (ing/kg bit)				
Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects	effects	effects

sodium hydroxide	-	-	-	-
2-aminoethanol	-	-	-	1.5
sodium cumenesulphonate	-	-	-	3.8
2-butoxyethanol	-	26.7	-	6.3
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hydroxide	2 %	-	-	-
2-aminoethanol	No data available	-	No data available	3
sodium cumenesulphonate	-	-	-	136.25
2-butoxyethanol	-	89	-	125
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hydroxide	2 %	-	-	-
2-aminoethanol	No data available	-	No data available	1.5
sodium cumenesulphonate	-	-	-	68.1
2-butoxyethanol	-	89	-	75
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

#### DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hydroxide	-	-	1	-
2-aminoethanol	-	-	0.51	1
sodium cumenesulphonate	-	-	-	26.9
2-butoxyethanol	246	1091	-	98
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

#### DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hydroxide	-	-	1	-
2-aminoethanol	-	-	0.28	0.18
sodium cumenesulphonate	-	-	-	6.6
2-butoxyethanol	147	426	-	59
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

# Environmental exposure Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium hydroxide	-	-	-	-
2-aminoethanol	0.07	0.007	0.028	100
sodium cumenesulphonate	0.23	0.023	2.3	100
2-butoxyethanol	8.8	0.88	9.1	463
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sodium hydroxide	-	-	-	-
2-aminoethanol	0.375	0.0357	1.29	-
sodium cumenesulphonate	0.862	0.0862	0.037	-
2-butoxyethanol	34.6	3.46	2.33	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available

## 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls:

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product.

Appropriate organisational controls:

with automatic systems. Use tools for manual handling of product. Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

#### REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Manual transfer and dilution	AISE_SWED_PW_8a_1	PW	PROC 8a	60	ERC8a

#### Personal protective equipment Eve / face protection:

Eye / face protection:	Safety glasses or goggles (EN 16321 / EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.
Hand protection:	Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
Body protection:	Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
Respiratory protection:	Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.
Environmental exposure controls:	Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the <u>diluted</u> product:

#### Recommended maximum concentration (% w/w): 20

Appropriate engineering controls:	No special requirements under normal use conditions.
Appropriate organisational controls:	Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to
	consider national Occupational Exposure Limits or other equivalent values, if available.

#### REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Automatic application in a dedicated system	AISE_SWED_PW_4_2	PW	PROC 4	480	ERC8a

#### Personal protective equipment

i ersonal protective equipment	
Eye / face protection:	No special requirements under normal use conditions.
Hand protection:	Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary. Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm
	Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm
	In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
Body protection:	No special requirements under normal use conditions.
Respiratory protection:	No special requirements under normal use conditions.
Environmental exposure controls:	No special requirements under normal use conditions.

## SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Clear , Colourless Odour: Product specific

#### Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium hydroxide	> 990	Method not given	
2-aminoethanol	169-171	Method not given	1013
sodium cumenesulphonate	No data available		
2-butoxyethanol	168-172	Method not given	1013
alkyl alcohol alkoxylate	No data available		

Flammability (solid, gas): Not applicable to liquids
Flammability (liquid): Not flammable.
Flash point (°C): Not applicable.
Sustained combustion: Not applicable.
(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

 
 Substance data, flammability or explosive limits, if available:

 Ingredient(s)
 Lower limit (% vol)
 Upper limit (% vol)

 2-aminoethanol
 3.4
 27

 2-butoxyethanol
 1.1
 10.6

Autoignition temperature: Not determined Decomposition temperature: Not applicable. pH: >= 11.5 (neat) Dilution pH: > 11 (20 %) Kinematic viscosity: Not determined Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium hydroxide	1000	Method not given	20
2-aminoethanol	1000	Method not given	20
sodium cumenesulphonate	493 Soluble	Method not given	20
2-butoxyethanol	Soluble	Method not given	20
alkyl alcohol alkoxylate	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

### Method / remark

See substance data

Substance data vanour pressure

Vapour pressure: Not determined

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium hydroxide	< 1330	Method not given	20
2-aminoethanol	50	Method not given	20
sodium cumenesulphonate	No data available		
2-butoxyethanol	89	Method not given	20
alkyl alcohol alkoxylate	No data available		

Relative density: ≈ 1.07 (20 °C) Relative vapour density: -. Particle characteristics: No data available.

9.2 Other information9.2.1 Information with regard to physical hazard classesExplosive properties:Not explosive.Oxidising properties:Not oxidising.Corrosion to metals:Corrosive

9.2.2 Other safety characteristics Alkali reserve: ≈ 6.9 (g NaOH / 100g; pH=10)

#### Method / remark

OECD 109 (EU A.3) Not relevant to classification of this product Not applicable to liquids.

See substance data

Method / remark

ISO 4316

ISO 4316

Method / remark

## SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal storage and use conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

None known under normal storage and use conditions.

## 10.5 Incompatible materials

May be corrosive to metals. Reacts with acids.

#### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

## SECTION 11: Toxicological information

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

#### Relevant calculated ATE(s):

#### ATE - Oral (mg/kg): >2000

ATE - Dermal (mg/kg): >2000

ATE - Inhalatory, vapours (mg/l): >20

Substance data, where relevant and available, are listed below:.

#### Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
sodium hydroxide		No data available				Not established
2-aminoethanol	LD 50	1089	Rat	OECD 401 (EU B.1)		1089
sodium cumenesulphonate	LD 50	> 7000	Rat	Method not given		Not established
2-butoxyethanol	LD 50	1746	Rat	ATE - Acute Toxicity Estimate		1200
alkyl alcohol alkoxylate	LD 50	> 2000-5000	Rat	OECD 423 (EU B.1 tris)		Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
sodium hydroxide	LD 50	1350	Rabbit	Method not given		Not established
2-aminoethanol	LD 50	2504	Rabbit	OECD 402 (EU B.3)		2504
sodium cumenesulphonate	LD 50	> 2000	Rabbit	Method not given		Not established
2-butoxyethanol	LD 50	6411		Method not given		Not established
alkyl alcohol alkoxylate		No data available				Not established

#### Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide		No data available			
2-aminoethanol	LC 50	> 1.4 No mortality observed	Rat	Method not given	4
sodium cumenesulphonate	LC 50	> 5 (mist) No mortality observed	Rat	Read across	3.87
2-butoxyethanol	LC 50	> 2 (mist) No mortality observed	Rat	Method not given	4

alkyl alcohol alkoxylate	No data		
	available		

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium hydroxide	Not established	Not established	Not established	Not established
2-aminoethanol	Not established	Not established	220	Not established
sodium cumenesulphonate	Not established	Not established	Not established	Not established
2-butoxyethanol	Not established	Not established	3	Not established
alkyl alcohol alkoxylate	Not established	Not established	Not established	Not established

# Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
2-aminoethanol	Corrosive	Rabbit	OECD 404 (EU B.4)	
sodium cumenesulphonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
2-butoxyethanol	Irritant	Rabbit	OECD 404 (EU B.4)	24; 48; 72 hour(s)
alkyl alcohol alkoxylate	Mild irritant	Rabbit	OECD 404 (EU B.4)	

#### Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
2-aminoethanol	Severe damage	Rabbit	OECD 405 (EU B.5)	
sodium cumenesulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	
2-butoxyethanol	Irritant	Rabbit	OECD 405 (EU B.5)	24; 48; 72 hour(s)
alkyl alcohol alkoxylate	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
2-aminoethanol	Irritating to respiratory tract		Method not given	
sodium cumenesulphonate	No data available			
2-butoxyethanol	No data available			
alkyl alcohol alkoxylate	No data available			

## Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hydroxide	Not sensitising		Human repeated patch test	
2-aminoethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
sodium cumenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
2-butoxyethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
alkyl alcohol alkoxylate	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
2-aminoethanol	No data available			
sodium cumenesulphonate	No data available			
2-butoxyethanol	No data available			
alkyl alcohol alkoxylate	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method
		(in-vitro)		(in-vivo)
sodium hydroxide	No evidence for mutagenicity, negative	DNA repair test	No evidence for mutagenicity, negative	OECD 474 (EU
	test results	on rat	test results	B.12) OECD
		hepatocytes		475 (EU B.11)
		OECD 473		
2-aminoethanol	No evidence for mutagenicity, negative	OECD 471 (EU	No evidence for mutagenicity, negative	OECD 474 (EU
	test results	B.12/13) OECD	test results	B.12)

		473 OECD 476		
		(Mouse		
		lymphoma)		
sodium cumenesulphonate	No evidence for mutagenicity, negative	Method not	No evidence for mutagenicity, negative	OECD 474 (EU
	test results	given	test results	B.12)
2-butoxyethanol	No evidence for mutagenicity, negative	OECD 471 (EU	No evidence for mutagenicity, negative	OECD 474 (EU
	test results	B.12/13) OECD	test results	B.12)
		476 (Chinese		
		Hamster		
		Ovary)		
alkyl alcohol alkoxylate	No data available		No data available	

#### Carcinogenicity

Ingredient(s)	Effect
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence
2-aminoethanol	No evidence for carcinogenicity, weight-of-evidence
sodium cumenesulphonate	No evidence for carcinogenicity, negative test results
2-butoxyethanol	No evidence for carcinogenicity, negative test results
alkyl alcohol alkoxylate	No data available

#### Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity
2-aminoethanol	NOAEL	Developmental toxicity	> 75	Rabbit	OECD 414 (EU B.31), oral		No evidence for developmental toxicity No evidence for reproductive toxicity
sodium cumenesulphonate	NOAEL	Teratogenic effects	> 936	Rat	Non guideline test		No known significant effects or critical hazards
2-butoxyethanol			No data available				
alkyl alcohol alkoxylate			No data available				

#### Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
2-aminoethanol	NOAEL	300	Rat		75	
sodium cumenesulphonate	NOAEL	763 - 3534	Rat	OECD 408 (EU B.26)		No effects observed
2-butoxyethanol		No data available				
alkyl alcohol alkoxylate		No data available				

#### Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	
sodium hydroxide		No data available				
2-aminoethanol		No data available				
sodium cumenesulphonate		No data available				
2-butoxyethanol		No data available				
alkyl alcohol alkoxylate		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium hydroxide		No data				
		available				
2-aminoethanol		No data				
		available				
sodium cumenesulphonate		No data				
		available				
2-butoxyethanol		No data				
		available				
alkyl alcohol alkoxylate		No data				

available			available				
-----------	--	--	-----------	--	--	--	--

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium hydroxide			No data available					
2-aminoethanol			No data available					
sodium cumenesulphonate			No data available					
2-butoxyethanol			No data available					
alkyl alcohol alkoxylate			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
2-aminoethanol	Respiratory tract
sodium cumenesulphonate	Not applicable
2-butoxyethanol	No data available
alkyl alcohol alkoxylate	No data available

#### STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
2-aminoethanol	No data available
sodium cumenesulphonate	Not applicable
2-butoxyethanol	No data available
alkyl alcohol alkoxylate	No data available

#### Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## 11.2 Information on other hazards

**11.2.1 Endocrine disrupting properties** Endocrine disrupting properties - Human data, if available:

## 11.2.2 Other information

No other relevant information available.

## SECTION 12: Ecological information

#### 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

#### Aquatic short-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	LC 50	35	Various species	Method not given	96
2-aminoethanol	LC 50	349	Cyprinus carpio	OECD 203, semi-static	96
sodium cumenesulphonate	LC 50	> 1000	Fish	EPA-OPPTS 850.1075	96
2-butoxyethanol	LC 50	> 100	Oncorhynchus mykiss	OECD 203, static	96
alkyl alcohol alkoxylate	LC 50	> 1-10	Brachydanio rerio	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea
---

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	40.4	Ceriodaphnia sp.	Method not given	48

2-aminoethanol	EC 50	27.04	Daphnia	OECD 202, static	48
			magna Straus		
sodium cumenesulphonate	EC 50	> 1000	Daphnia	OECD 202 (EU C.2)	48
			magna Straus		
2-butoxyethanol	EC 50	> 100	Daphnia	OECD 202, static	48
			magna Straus		
alkyl alcohol alkoxylate	EC 50	> 1-10	Not specified	79/831/EEC	48

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	22	Photobacteriu m phosphoreum	Method not given	0.25
2-aminoethanol	EC 50	2.8	Selenastrum capricornutum	OECD 201 (EU C.3)	72
sodium cumenesulphonate	E b C 50	> 230	Not specified	EPA OPPTS 850.5400	96
2-butoxyethanol	EC 50	> 100	Pseudokirchner iella subcapitata	OECD 201, static	72
alkyl alcohol alkoxylate	EC 50	> 10-100	Not specified	DIN 38412, Part 9	72

Aquatic short-term toxicity - marine species					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium hydroxide		No data available			
2-aminoethanol		No data available			
sodium cumenesulphonate		No data available			
2-butoxyethanol		No data available			
alkyl alcohol alkoxylate		No data available			

Impact on sewage plants - toxicity to bacteria					
Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium hydroxide		No data available			
2-aminoethanol	EC 50	> 1000	Activated sludge	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
sodium cumenesulphonate	Er C 50	> 1000	Bacteria	OECD 209	3 hour(s)
2-butoxyethanol	EC o	700	Pseudomonas putida	Method not given	16 hour(s)
alkyl alcohol alkoxylate	EC 20	> 10	Activated sludge	OECD 209	30 minute(s)

#### Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data available				
2-aminoethanol	NOEC	1.2	Oryzias latipes	OECD 210	30 day(s)	
sodium cumenesulphonate		No data available				
2-butoxyethanol	NOEC	> 100	Danio rerio	OECD 204	21 day(s)	
alkyl alcohol alkoxylate		No data available				

#### Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data available				
2-aminoethanol	NOEC	0.85	Daphnia magna	OECD 202	21 day(s)	
sodium cumenesulphonate		No data available				
2-butoxyethanol	NOEC	100	Daphnia magna	OECD 211	21 day(s)	
alkyl alcohol alkoxylate		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				
2-aminoethanol		No data available				
sodium cumenesulphonate		No data available				
2-butoxyethanol		No data available				
alkyl alcohol alkoxylate		No data available				

Terrestrial toxicity Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				
2-aminoethanol		No data available				

#### Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data				
		available				

#### Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
					time (days)	
sodium hydroxide		No data				
		available				
2-aminoethanol		No data				
		available				

#### Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data				
		available				
2-aminoethanol		No data				
		available				

#### Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw soil)			time (days)	
sodium hydroxide		No data				
		available				
2-aminoethanol		No data				
		available				

#### 12.2 Persistence and degradability

#### Abiotic degradation

degradation			

Abiotic degradation - photodegradation in air, if a	vailable:			
Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

#### Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium hydroxide	No data available			

#### Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
sodium hydroxide		No data available			

## Biodegradation

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					Not applicable (inorganic substance)
2-aminoethanol		DOC reduction	> 90 % in 21 day(s)	OECD 301A	Readily biodegradable
sodium cumenesulphonate		CO <sub>2</sub> production	103 - 109% in 28 day(s)	OECD 301B	Readily biodegradable
2-butoxyethanol		CO <sub>2</sub> production	90.4 % in 28 day(s)	OECD 301B	Readily biodegradable
alkyl alcohol alkoxylate		CO <sub>2</sub> production	> 60 % in 28 day(s)	ISO 14593	Readily biodegradable

#### Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					No data available

#### Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					No data available

#### 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)							
Ingredient(s)	Value	Method	Evaluation	Remark			
sodium hydroxide	No data available		Not relevant, does not bioaccumulate				
2-aminoethanol	- 1.91	OECD 107	No bioaccumulation expected				
sodium cumenesulphonate	-1.1	Method not given	No bioaccumulation expected				
2-butoxyethanol	0.81	OECD 107	Low potential for bioaccumulation				
alkyl alcohol alkoxylate	No data available						

#### Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hydroxide	No data available				
2-aminoethanol	No data available				
sodium cumenesulphonate	No data available				
2-butoxyethanol	No data available				
alkyl alcohol alkoxylate	No data available				

#### 12.4 Mobility in soil

#### Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium hydroxide	No data available				Mobile in soil
2-aminoethanol	0.067		Model calculation		Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected
sodium cumenesulphonate	No data available				
2-butoxyethanol	No data available				Potential for mobility in soil, soluble in water
alkyl alcohol alkoxylate	No data available				

## 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

## 12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

#### 12.7 Other adverse effects

No other adverse effects known.

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

**European Waste Catalogue:** 

Empty packaging **Recommendation:** Suitable cleaning agents: material is suitable for energy recovery or recycling in line with local legislation. 20 01 15\* - alkalines.

Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

## SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR) 14.1 UN number or ID number: 1824 14.2 UN proper shipping name: Sodium hydroxide solution 14.3 Transport hazard class(es): Transport hazard class (and subsidiary risks): 8 14.4 Packing group: II 14.5 Environmental hazards: Environmentally hazardous: No Marine pollutant: No 14.6 Special precautions for user: None known. 14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers. Other relevant information: ADR Classification code: C5

Tunnel restriction code: (E) Hazard identification number: 80 IMO/IMDG EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations :

- Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
  Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- · Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Comah - classification: Not classified

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

## SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS7449

Version: 05.0

Revision: 2024-08-09

Reason for revision:

This data sheet contains changes from the previous version in section(s):, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, 2, 8, 9, 16

#### **Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

#### Abbreviations and acronyms:

· AISE - The international Association for Soaps, Detergents and Maintenance Products

- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50% • ERC - Environmental release categories
- EUH CLP Specific hazard statement
- · LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
   LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
   NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic • PNEC - Predicted No Effect Concentration

- PROC Process categories
  PROC Process categories
  REACH number REACH registration number, without supplier specific part
  vPvB very Persistent and very Bioaccumulative
  H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- · H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
  H412 Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet