

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Cipton HD VC151

Revision: 2020-05-18 **Version:** 04.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Cipton HD VC151

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For industrial use only.

AISE-P801 - Food process cleaner. Cleaning In place (CIP) process

AISE-P805 - Defoaming product. Automatic process

Soaking bath. Manual process (AISE_CS_I01 & AISE_CS_I10)

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Corr. 1A (H314) Eye Dam. 1 (H318) Met. Corr. 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains sodium hydroxide (Sodium Hydroxide), tetrasodium ethylene diamine tetraacetate (Tetrasodium EDTA)

Hazard statements:

H314 - Causes severe skin burns and eye damage.

H290 - May be corrosive to metals.

Precautionary statements:

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex

XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight |
|---|-----------|-------------|------------------|------------------------|-------|---------|
| | | | | | | percent |
| sodium hydroxide | 215-185-5 | 1310-73-2 | 01-2119457892-27 | Skin Corr. 1A (H314) | | 20-30 |
| · | | | | Met. Corr. 1 (H290) | | |
| tetrasodium ethylene diamine tetraacetate | 200-573-9 | [1] | [1] | Acute Tox. 4 (H302) | | 1-3 |
| · | | | | Acute Tox. 4 (H332) | | |
| | | | | STOT RE 2 (H373) | | |
| | | | | Eye Dam. 1 (H318) | | |
| alkyl alcohol alkoxylate | [4] | 120313-48-6 | [4] | Aquatic Acute 1 (H400) | _ | 0.1-1 |
| | | | - · | Aquatic Chronic 3 | | |
| | | | | (H412) | | |

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included

for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required. [4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General Information: If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is

irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose

resuscitation. Use Ambu bag or ventilator.

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off

immediately all contaminated clothing and wash it before reuse. Immediately call a POISON

CENTRE, doctor or physician.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE,

doctor or physician.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or

physician.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use.

Skin contact: Causes severe burns.

Eye contact: Causes severe or permanent damage.

Ingestion: Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found

in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Use neutralising agent. Absorb onto dry sand or similar inert material. Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

| Ingredient(s) | UK - Long term value(s) | UK - Short term value(s) |
|------------------|----------------------------|-----------------------------|
| sodium hydroxide | | 2 mg/m ³ |

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL oral exposure - Consumer (mg/kg bw)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|---|----------------------------|-------------------------------|---------------------------|------------------------------|
| sodium hydroxide | - | - | - | - |
| tetrasodium ethylene diamine tetraacetate | - | - | - | 25 |
| alkyl alcohol alkoxylate | - | - | No data available | - |

DNEL dermal exposure - Worker

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|---|----------------------------|--|---------------------------|---|
| sodium hydroxide | 2 % | - | - | - |
| tetrasodium ethylene diamine tetraacetate | - | - | - | - |
| alkyl alcohol alkoxylate | No data available | No data available | No data available | No data available |

DNEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|---|----------------------------|--|---------------------------|---|
| sodium hydroxide | 2 % | - | - | - |
| tetrasodium ethylene diamine tetraacetate | - | - | - | - |
| alkyl alcohol alkoxylate | No data available | No data available | No data available | No data available |

DNEL inhalatory exposure - Worker (mg/m³)

| Ingredient(s) | Short term - Local | Short term - Systemic | Long term - Local | Long term - Systemic |
|---------------|--------------------|-----------------------|-------------------|----------------------|
| | effects | effects | effects | effects |

| sodium hydroxide | No data available | - | 1 | - |
|---|-------------------|-------------------|-------------------|-------------------|
| tetrasodium ethylene diamine tetraacetate | 3 | 3 | 1.5 | 1.5 |
| alkyl alcohol alkoxylate | No data available | No data available | No data available | No data available |

DNEL inhalatory exposure - Consumer (mg/m3)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|---|----------------------------|-------------------------------|---------------------------|------------------------------|
| sodium hydroxide | - | - | 1 | - |
| tetrasodium ethylene diamine tetraacetate | 1.2 | 1.2 | 0.6 | - |
| alkyl alcohol alkoxylate | No data available | No data available | No data available | No data available |

Environmental exposure

Environmental exposure - PNEC

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|---|-----------------------------|------------------------------|---------------------|-------------------------------|
| sodium hydroxide | - | - | - | - |
| tetrasodium ethylene diamine tetraacetate | 2.2 | 0.22 | 1.2 | 43 |
| alkyl alcohol alkoxylate | No data available | No data available | No data available | No data available |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m³) |
|---|------------------------------|-----------------------------|-------------------|-------------------|
| sodium hydroxide | - | - | - | - |
| tetrasodium ethylene diamine tetraacetate | - | - | 0.72 | - |
| alkyl alcohol alkoxylate | No data available | No data available | No data available | No data available |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin Appropriate engineering controls:

contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling

with automatic systems. Use tools for manual handling of product. Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is

strongly recommended when handling open containers or if splashes may occur.

Hand protection: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and

breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such

as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material

thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may

occur (EN 14605).

Respiratory protection: If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle

filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit

exposure. Please refer to the product information sheet for the possibilities.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 5.4

Appropriate engineering controls: No special requirements under normal use conditions.

Avoid direct contact and/or splashes where possible. Train personnel. Appropriate organisational controls:

Personal protective equipment

No special requirements under normal use conditions. Eye / face protection:

Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary. Hand protection:

Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific

local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material

thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min

Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

Body protection: No special requirements under normal use conditions. No special requirements under normal use conditions. Respiratory protection:

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Liquid Colour: Clear, Brown Odour: Product specific Odour threshold: Not applicable

ISO 4316 **pH** > 11 (neat) **Dilution pH:** > 11 (5.4 %) ISO 4316

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|---|-------------------|-----------------------|----------------------------|
| sodium hydroxide | > 990 | Method not given | |
| tetrasodium ethylene diamine tetraacetate | No data available | Non-experimental data | |
| alkyl alcohol alkoxylate | > 250 | Method not given | |

Method / remark

Flammability (liquid): Not flammable.

Flash point (°C): > 100 °C

Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not relevant for classification of this product.

Flammability (solid, gas): Not applicable to liquids Upper/lower flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

See substance data Vapour pressure: Not determined

Substance data, vapour pressure

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|---|---------------|------------------|---------------------|
| sodium hydroxide | < 1330 | Method not given | 20 |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | |
| tetrasodium ethylene diamine tetraacetate | 0.0000000002 | Read across | 25 |
| alkyl alcohol alkoxylate | < 10 | Method not given | 20 |

Method / remark

Not relevant to classification of this product Vapour density: Not determined

Relative density: ≈ 1.37 (20 °C) OECD 109 (EU A.3) Solubility in / Miscibility with Water: Fully miscible

Cubatanaa data aalubility in watar

| Substance data, solubility in water Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|--|----------------|------------------|---------------------|
| sodium hydroxide | 1000 | Method not given | 20 |
| tetrasodium ethylene diamine tetraacetate | 500 | Method not given | 20 |
| alkyl alcohol alkoxylate | Insoluble | Method not given | |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Autoignition temperature: Not determined **Decomposition temperature:** Not applicable.

Viscosity: Not determined

Explosive properties: Not explosive. **Oxidising properties:** Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined

Corrosion to metals: Corrosive

Not relevant to classification of this product

Weight of evidence

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000 ATE - Inhalatory, mists (mg/l): >5

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|---|----------|-------------------|---------|--------------------|-------------------|
| sodium hydroxide | | No data available | | | |
| tetrasodium ethylene diamine tetraacetate | LD 50 | 1780 | Rat | OECD 401 (EU B.1) | |
| alkyl alcohol alkoxylate | LD 50 | > 2000 | Rat | Weight of evidence | |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|---|----------|----------------------|---------|--------------------|-------------------|
| sodium hydroxide | LD 50 | 1350 | Rabbit | Method not given | |
| tetrasodium ethylene diamine tetraacetate | LD 50 | > 5000 | Rabbit | Method not given | |
| alkyl alcohol alkoxylate | | No data available | | Weight of evidence | |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure |
|---|----------|--------------|---------|-------------------|----------|
| | | (mg/l) | | | time (h) |
| sodium hydroxide | | No data | | | |
| | | available | | | |
| tetrasodium ethylene diamine tetraacetate | LC 50 | ≥ 1-5 (dust) | Rat | OECD 403 (EU B.2) | 6 |

| alkyl alcohol alkoxylate | No data | | |
|--------------------------|-----------|--|--|
| · | available | | |

Irritation and corrosivity Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---|--------------|---------|-------------------|---------------|
| sodium hydroxide | Corrosive | Rabbit | Method not given | |
| tetrasodium ethylene diamine tetraacetate | Not irritant | Rabbit | OECD 404 (EU B.4) | |
| alkyl alcohol alkoxylate | Irritant | Rabbit | Draize test | |

Eye irritation and corrosivity

| Lyo milation and concerns | | | | |
|---|------------------------------|---------|------------------|---------------|
| Ingredient(s) | Result | Species | Method | Exposure time |
| sodium hydroxide | Corrosive | Rabbit | Method not given | |
| tetrasodium ethylene diamine tetraacetate | Severe damage | | Method not given | |
| alkyl alcohol alkoxylate | Not corrosive or irritant | Rabbit | Method not given | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---|-------------------|---------|--------|---------------|
| sodium hydroxide | No data available | | | |
| tetrasodium ethylene diamine tetraacetate | No data available | | | |
| alkyl alcohol alkoxylate | No data available | | | |

Sensitisation Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|---|-------------------|------------|----------------------|-------------------|
| sodium hydroxide | Not sensitising | | Human repeated patch | |
| | | | test | |
| tetrasodium ethylene diamine tetraacetate | Not sensitising | Guinea pig | OECD 406 (EU B.6) / | |
| | | | GPMT | |
| alkyl alcohol alkoxylate | No data available | | | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|---|-------------------|---------|--------|---------------|
| sodium hydroxide | No data available | | | |
| tetrasodium ethylene diamine tetraacetate | No data available | | | |
| alkyl alcohol alkoxylate | No data available | | _ | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|--------------------------|---|----------------------|---|---|
| sodium hydroxide | No evidence for mutagenicity, negative test results | | No evidence for mutagenicity, negative test results | OECD 474 (EU B.12) OECD 475 (EU B.11) |
| , | No evidence for mutagenicity, negative test results | | No evidence of genotoxicity, negative test results | Method not given |
| alkyl alcohol alkoxylate | No data available | | No data available | |

Carcinogenicity

| Ingredient(s) | Effect |
|---|---|
| sodium hydroxide | No evidence for carcinogenicity, weight-of-evidence |
| tetrasodium ethylene diamine tetraacetate | No evidence for carcinogenicity, weight-of-evidence |
| alkyl alcohol alkoxylate | No data available |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|---|----------|-----------------|-----------------------|---------|--------|---------------|--|
| sodium hydroxide | | | No data available | | | | No evidence for developmental toxicity No evidence for reproductive toxicity |
| tetrasodium ethylene diamine tetraacetate | | | No data available | | | | No evidence for reproductive toxicity |
| alkyl alcohol alkoxylate | | | No data available | | | | |

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

| Ingredient(s) En | | Value | Species | Method | Exposure | Specific effects and organs |
|------------------|--|--------------|---------|--------|-------------|-----------------------------|
| | | (mg/kg bw/d) | | | time (days) | affected |

| sodium hydroxide | No data available | | |
|---|----------------------|--|--|
| tetrasodium ethylene diamine tetraacetate | No data available | | |
| alkyl alcohol alkoxylate | No data available | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|---|----------|-----------------------|---------|--------|----------------------|--------------------------------------|
| sodium hydroxide | | No data | | | | |
| | | available | | | | |
| tetrasodium ethylene diamine tetraacetate | | No data | | | | |
| | | available | | | | |
| alkyl alcohol alkoxylate | | No data | | | | |
| | | available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Specific effects and organs |
|---|----------|--------------|---------|--------|-------------|-----------------------------|
| | | (mg/kg bw/d) | | | time (days) | affected |
| sodium hydroxide | | No data | | | | |
| | | available | | | | |
| tetrasodium ethylene diamine tetraacetate | | No data | | | | |
| • | | available | | | | |
| alkyl alcohol alkoxylate | | No data | | | | |
| | | available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|--------------------------|----------------|----------|-----------------------|---------|--------|---------------|---|--------|
| sodium hydroxide | | | No data | | | | | |
| | | | available | | | | | |
| tetrasodium ethylene | | | No data | | | | | |
| diamine tetraacetate | | | available | | | | | |
| alkyl alcohol alkoxylate | | | No data | | | | | |
| 1 | | | available | | | | | |

STOT-single exposure

| | Ingredient(s) | Affected organ(s) |
|---|---|-------------------|
| | sodium hydroxide | No data available |
| ſ | tetrasodium ethylene diamine tetraacetate | No data available |
| ĺ | alkyl alcohol alkoxylate | No data available |

| 5101-repeated exposure | |
|---|-------------------|
| Ingredient(s) | Affected organ(s) |
| sodium hydroxide | No data available |
| tetrasodium ethylene diamine tetraacetate | Respiratory tract |
| alkyl alcohol alkoxylate | No data available |

Aspiration hazard Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|-----------------|--------------------|------------------------|-------------------|
| sodium hydroxide | LC 50 | 35 | Various species | Method not given | 96 |
| tetrasodium ethylene diamine tetraacetate | LC 50 | > 100 | | OPP 72-1, static (EPA) | 96 |
| alkyl alcohol alkoxylate | LC 50 | 1 - 10 | Leuciscus idus | Method not given | 96 |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|-----------------|-------------------------|--------------------|-------------------|
| sodium hydroxide | EC 50 | 40.4 | Ceriodaphnia sp. | Method not given | 48 |
| tetrasodium ethylene diamine tetraacetate | EC 50 | 140 | Daphnia magna Straus | DIN 38412, Part 11 | 48 |
| alkyl alcohol alkoxylate | EC 50 | 1 | Not specified | Method not given | 48 |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|-----------------|---------------|---------------------|-------------------|
| sodium hydroxide | EC 50 | 22 | Photobacteriu | Method not given | 0.25 |
| | | | m | | |
| | | | phosphoreum | | |
| tetrasodium ethylene diamine tetraacetate | EC 50 | > 100 | Scenedesmus | 88/302/EEC, Part C, | 72 |
| | | | obliquus | static | |
| alkyl alcohol alkoxylate | EC 50 | 0.1 - 1 | Not specified | Method not given | 72 |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|---|----------|-----------------|---------|--------|----------------------|
| sodium hydroxide | | No data | | | - |
| | | available | | | |
| tetrasodium ethylene diamine tetraacetate | | No data | | | - |
| | | available | | | |
| alkyl alcohol alkoxylate | | No data | | | - |
| · | | available | | | |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value (mg/l) | Inoculum | Method | Exposure time |
|---|----------|----------------------|---------------------|---|---------------|
| sodium hydroxide | | No data available | | | |
| tetrasodium ethylene diamine tetraacetate | EC 20 | > 500 | Activated sludge | OECD 209 | 0.5 hour(s) |
| alkyl alcohol alkoxylate | | 1000 | Activated sludge | DIN EN ISO 8192-OECD 209-88/302/EEC | |

Aquatic long-term toxicity Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|---|----------|----------------------|----------------------|----------|---------------|------------------|
| sodium hydroxide | | No data available | | | | |
| tetrasodium ethylene diamine tetraacetate | NOEC | > 25.7 | Brachydanio rerio | OECD 210 | 35 day(s) | |
| alkyl alcohol alkoxylate | | No data available | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|---|----------|----------------------|------------------|------------|---------------|------------------|
| sodium hydroxide | | No data available | | | | |
| tetrasodium ethylene diamine tetraacetate | NOEC | 25 | Daphnia magna | OECD 211 | 21 day(s) | |
| alkyl alcohol alkoxylate | NOEC | >0.1- <1 | Daphnia magna | Method not | 21 day(s) | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
|---|----------|------------------------|---------|--------|-------------|------------------|
| | | (mg/kg dw sediment) | | | time (days) | |
| sodium hydroxide | | No data available | | | - | |
| tetrasodium ethylene diamine tetraacetate | | No data available | | | - | |
| alkyl alcohol alkoxylate | | No data available | | | - | |

Terrestrial toxicity

| Terrestrial toxicity - soil invertebrates, including earthworms, if available. | | | | | | | | | | |
|--|----------|-----------|---------|--------|-------------|------------------|--|--|--|--|
| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed | | | | |
| | | (mg/kg dw | | | time (days) | | | | | |
| | | soil) | | | | | | | | |

| sodium hydroxide | | No data available | | | - | |
|---|-------|----------------------|----------------|----------|----|--|
| tetrasodium ethylene diamine tetraacetate | LD 50 | 156 | Eisenia fetida | OECD 207 | 14 | |
| alkyl alcohol alkoxylate | | No data available | | | - | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|---|----------|-----------------------------|---------|--------|----------------------|------------------|
| sodium hydroxide | | No data available | | | - | |
| tetrasodium ethylene diamine tetraacetate | NOEC | 0.25 - 1.25 | | | 21 | |
| alkyl alcohol alkoxylate | | No data available | | | - | |

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|---|----------|----------------------|---------|--------|----------------------|------------------|
| sodium hydroxide | | No data available | | | - | |
| tetrasodium ethylene diamine tetraacetate | | No data available | | | - | |
| alkyl alcohol alkoxylate | | No data available | | | - | |

Terrestrial toxicity - beneficial insects, if available:

| Terrestrial toxicity Deficilitial insects, il available: | | | | | | |
|--|----------|-----------|---------|--------|-------------|------------------|
| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
| | | (mg/kg dw | | | time (days) | |
| | | soil) | | | | |
| sodium hydroxide | | No data | | | - | |
| | | available | | | | |
| tetrasodium ethylene diamine tetraacetate | | No data | | | - | |
| - | | available | | | | |
| alkyl alcohol alkoxylate | | No data | | | - | |
| | | available | | | | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|---|----------|-----------------------------|---------|--------|----------------------|------------------|
| sodium hydroxide | | No data available | | | - | |
| tetrasodium ethylene diamine tetraacetate | | No data available | | | - | |
| alkyl alcohol alkoxylate | | No data available | | | - | |

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

| Ingredient(s) | Half-life time | Method | Evaluation | Remark |
|------------------|----------------|------------------|-------------------------|--------|
| sodium hydroxide | 13 second(s) | Method not given | Rapidly photodegradable | |

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

| Ingredient(s) | Inoculum | Analytical method | DT 50 | Method | Evaluation |
|---|----------|----------------------------|--------------------|-----------|--------------------------------------|
| sodium hydroxide | | | | | Not applicable (inorganic substance) |
| tetrasodium ethylene diamine tetraacetate | | | | | Not readily biodegradable. |
| alkyl alcohol alkoxylate | | CO ₂ production | > 60% in 28 day(s) | OECD 301B | Readily biodegradable |

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

| Ingredient(s) | Value | Method | Evaluation | Remark |
|------------------------------|-------------------|------------------|-----------------------------|--------|
| sodium hydroxide | No data available | | Not relevant, does not | |
| | | | bioaccumulate | |
| tetrasodium ethylene diamine | -13 | Method not given | No bioaccumulation expected | |
| tetraacetate | | | | |
| alkyl alcohol alkoxylate | = | | No bioaccumulation expected | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|---|-------------------|------------------------|------------------|-----------------------------------|--------|
| sodium hydroxide | No data available | | | | |
| tetrasodium ethylene diamine tetraacetate | 1.8 | Lepomis macrochirus | Method not given | Low potential for bioaccumulation | |
| alkyl alcohol alkoxylate | - | | | No bioaccumulation expected | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log Koc | Desorption coefficient Log Koc(des) | Method | Soil/sediment type | Evaluation |
|---|--------------------------------------|---|--------|-----------------------|--|
| sodium hydroxide | No data available | | | | Mobile in soil |
| tetrasodium ethylene diamine tetraacetate | No data available | | | | Adsorption to solid soil phase is not expected |
| alkyl alcohol alkoxylate | No data available | | | | Potential for adsorption to soil |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

European Waste Catalogue:

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

20 01 15* - alkalines.

Empty packaging

Recommendation:

dation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 1824

14.2 UN proper shipping name:

Sodium hydroxide solution Sodium hydroxide solution

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: ||

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C5 Tunnel restriction code: E Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 REACH Regulation (EC) No 1272/2008 CLP
- Regulation (EC) No. 648/2004 Detergents regulation

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

UFI: R6Y5-H0DA-800C-HRDX

Ingredients according to EC Detergents Regulation 648/2004

phosphonates, EDTA and salts thereof, non-ionic surfactants, anionic surfactants

< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS6366 Version: 04.0 Revision: 2020-05-18

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 3, 4, 6, 7, 8, 9, 11, 12, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- · H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- · H318 Causes serious eye damage.
- · H332 Harmful if inhaled.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- DNEL Derived No Effect Limit
- EUH CLP Specific hazard statement
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- ATE Acute Toxicity Estimate
 LD50 Lethal Dose, 50% / Median Lethal dose
- · LC50 Lethal Concentration, 50% / Median Lethal Concentration
- · EC50 effective concentration, 50%
- · NOEL No observed effect level

- NOAEL No observed adverse effect level OECD Organization for Economic Cooperation and Development

End of Safety Data Sheet